





Our range of rental pumps for groundwater monitoring, sampling, purging and remediation includes the ever popular Advanced Peristaltic Pump; the ultimate reliable and universal electronic pump that can create a perfect vacuum for sampling and purging in shallow wells. We have pumps for high and low flow purging, pumps that are tolerant of suspended sediments, pumps to move product and pumps to use with Flow Through Cells and Water Quality Meters. Available to rent from 3 days to 'however long you need it' we have a pump for almost every situation.

All prices correct at the time of going to press in May 2016. Prices shown are in GBP and exclude delivery & VAT. We reserve the right to alter prices at any time. For Rental Terms & Conditions visit www.vanwalt.com



	3 day Express	Weekly Rate	Week 5 & 6	Week 7+		
Advanced Peristaltic Pump with built in battery	£100	£150	£100	£75		
	Additional battery pack					
Maximum flow rate 2.21/min. Maximum head of water 9.5m	N/A	£20	£15	£10		



MP1 Pump & Cor Fits 2'' wells.

Maximum flow ro 351/min. Maximu depth 90m. Requ 110v power sourd



Standard Peristal Pump wih extern battery

Maximum flow ra 2.11/min. Maximu head of water 8r



adder Pump & 12v Introller with built in	£130	£195	£130	£95		
ittery	Additional battery pack					
ailable in 22mm 42mm diameters. aximum depth 45m	N/A	£12	£9.00	£5.00		



Geosub Pump & Controller

Maximum flow ro at 1m is 18l/min. Maximum depth Requires 110v po source

	3 day Express	,		Week 5 & 6		Week 7+		
	N/A		£390		£260		£195	
ntroller	2kW suitcase generator up to 60m							
	N/A		£90		£60		£45	
ate Im	3kW generator up to 90m							
uires ce	N/A		£145		£95		£70	

ltic nal 12v	N/A	£80	£55	£40
ate Jm m.				

L	N/A	£320	£215	£160
ate	1	kW suitca	ise generc	ator
n 45m. ower	N/A	£90	£60	£45





Our rental meters come in many guises. Meters, loggers and sondes for water quality, including the new, advanced YSI ProDSS, water level loggers like the brand new LevelSCOUT, and the ultimate water quality measuring device the Xylem EXO Sonde configured to measure and log the following parameters simultaneously: pH, EC, Temperature, Redox, Dissolved Oxygen and Turbidity. We can also offer ATEX rated interface meters; PIDS, LELs and portable Landfill Gas Analysers. We have a TDR soil moisture measurement meter which can be rented together with a telemetry system for remote monitoring of the moisture content of the top layers of soils. We even have a meter to measure turbidity and total suspended solids (TSS), the two most important indicator parameters for water quality.



Water Level Logo Baro

For general purp level logging & temperature. 10 to 200m water fluctuation. Baro used for barome compensation



	3 day Express	Weekly Rate	Week 5 & 6	Week 7+	
SI Pro DSS Water wality Meter & Flow cell	£250	£350	£250	£200	
leasures EC, DO, pH, edox, temperature & urbidity					



MILLE	YSI Pro Plus Water Quality Meter & Flow Cell	£180	£275	£180	£135
	Measures EC, DO, pH, redox & temperature				



Oil Interface Me

30m or 60m with two-tone alarm

ger &	3 day Express	Weekly Rate	Week 5 & 6	Week 7+	
	N/A	£55	£35	£25	
m		В	aro		
) etric	N/A	£30	£20	£13	

USB Readout Cable	N/A	£20	£15	£10
For Water Level Loggers and Baro				

	N/A	£85	£60	£45
e ters	·			







	3 day Express	Weekly Rate	Week 5 & 6	Week 7+
ompact Turbidity eter	£55	£85	£55	£40
easures turbidity and tal suspended solids SS)				



Trime Pico TDR S **Moisture Sensor** Display Unit

Accurate determination of moisture conten



ortable Is Analyser				
ated land as analyser ements of O2, H2S &	£165	£250	£165	N/A



WTW pH Logger

Continuous pH surface & groundwater monitoring



Water Quality						
rameter Juality meter	N/A	£350	£250	£200		
an measure	With Turbidity					
arameters neously: pH, EC, ature, Redox, urbidity	N/A	£375	£275	£225		



Water Level Dip Meters

30m, 60m or 100m with audible & visual alarms

	3 day Express	Weekly Rate	Week 5 & 6	Week 7+
oil &	N/A	£240	£160	£120
f soil It				

N/A £1	95 £130	£95
--------	---------	-----







The removal of pollution or contaminants from soil, groundwater, sediment or surface water in wells, sumps or trenches usually requires specialist equipment. There are several different types of remediation techniques including classical, biological, physical or chemical methods but usually techniques can be categorised into ex-situ and in-situ methods. For contaminated water an oleophilic or hydrophobic element which passes oil but repels water is often used. A passive system absorbs or containerises the pollution in the equipment, within the well. An active system uses a pumping facility to bring the contaminant to the surface.

We provide rental remediation equipment to detect the depth of a contaminated layer in landfill, remediation and petrochemical sites. Our Reclaimers are positive air displacement pumps for recovering hydrocarbons, leachate and condensate in total fluid applications and are designed to withstand aggressive down-well and corrosive fluid conditions - ideal for well development, purging and remediating. The Liquid Layer Sampler is an easy to use sampler to capture a visual presentation of a floating product/ water interface. Our 'Safe-on-Site' meters for the detection of volatile organic compounds, are easy to use, have a less than 3 second response time, plus a host of other benefits including audible and visual alarms. We do everything we can to ensure all our rental equipment reaches you on time and is ready to go: clean, calibrated, quality checked, charged and working accurately.



PID - Phocheck MiniRAE Lite

Handheld detec for volatile orgar compounds



Liquid Layer Sam

Sampler to capt a visual presento of a floating pro water interface



	3 day Express	Weekly Rate	Week 5 & 6	We 7+
ATEX Certified Interface Meter				
LNAP and DNAPL detection for monitoring in landfill, remediation and petrochemical industries	N/A	£85	£60	£



45

LEL Personal Prot Monitor

Portable gas de with audible & v alarms which so the event of exc to flammable ad oxygen & a wid range of toxic g onsite

	3 day Express	Weekly Rate	Week 5 & 6	Week 7+
Tiger,	£90	£140	£90	£50
ctors nic				

npler	N/A	£80	£80	£80
ture ation duct/	N/A	200	200	280

tection				
tector visual und in posure ases, e ases	N/A	£60	£40	£20





Collecting samples when the soil is wet, soft and non-cohesive, is challenging and retention can be difficult so the sample will need to be enclosed or captured in a liner. Our fleet of rental samplers includes the Multisampler, a specialised piston type sampler for sediments which gives good retention and undisturbed samples. It is Ideal for visual identification, classification and sub-sampling for environmental and agronomy research. Our Van Veen Grab is an easy to use surface sampler for river and lake beds providing a quick indication of sediment type and the Beeker Sampler, a very sophisticated sampler to take undisturbed samples of sediments and submerged soils where the samples are captured in an acrylic sampling tube and an inflatable bladder seals the sample.



Multisampler

For weak sedime and sludges abo below the wate



- YSI & Peristaltic Pump
- YSI & Standard Peristaltic Pump
- YSI & Bladder Pump
- PID & Oil Interface Meter
- PID & LEL Meter
- YSI, Peristaltic Pump & Oil Interface N
- YSI, Standard Peristaltic Pump & Oil Ir
- YSI, Bladder Pump & Oil Interface Me
- PID, LEL Meter & Oil Interface Meter

Why not add a Water Level Dip Meter for only £20 a week

Vist www.vanwalt.com for more information

1

Van Veen Grab Sediment sampler 0.5 litre in size	N/A	£55	£35	£25
Beeker Sampler Advanced sampler with inflatable bladder for undisturbed sediments and sludges	N/A	£375	£250	£185

3 day

express Rate

Weekly Week

5&6

Week

7+

	3 day express	Weekly Rate	Week 5 & 6	Week 7+
	N/A	£85	£55	£40
ents ove or r level	N/A	103	233	240

	£350 pw
	£315 pw
	£370 pw
	£185 pw
	£155 pw
1eter	£395 pw
nterface Meter	£360 pw
eter	£415 pw
	£200 pw





Confidence - Technology - Choice

Sectors



Water & Wastewater monitoring



Waste Management

Mining & Mineral Research



Agriculture



Pollution Control & Monitoring

University Research



Nuclear, Oil & Gas









Geotechnical Drilling



Charities, Wildlife Monitoring & Ecology

and more...

Van Walt Carrer Orient, nº 78 08172 Sant Cugat del Vallès Barcelona Spain

Tel: + 34 93 590 00 07 Fax: +34 93 217 70 09 email: ventas@vanwalt.com Van Walt Ltd Prestwick Lane Grayswood, Haslemere Surrey, GU27 2DU United Kingdom

Tel : +44 (0)1428 661 660 Fax : +44 (0)1428 656 808 email: sales@vanwalt.com





Van Walt Ltd Unit A 21 Gordon Road Wanaka 9305 New Zealand

Tel: +64 (0)3443 5326 Mobile: +64 (0)21 585 339 email: salesnz@vanwalt.com

